

L Number	Hits	Search Text	DB	Time stamp
92	53	@ad < "19960805" and ((\$queue\$3 or insert\$3) same message same queue same priority) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 16:31
93	36	@ad < "19960805" and ((\$queue\$3 or insert\$3) with message with queue same priority) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 16:34
94	23	@ad < "19960805" and ((\$queue\$3 or insert\$3) with message with queue with priority) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 16:35
-	22	709/207.ccls. and (message adj queue) and priority	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 16:48
-	5	@ad < "19960805" and 709/207.ccls. and (message adj queue) and priority	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 16:59
-	640	@ad < "19960805" and (message adj queue) and priority	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 17:00
-	189	@ad < "19960805" and (message adj queue) same priority	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 17:01
-	117	@ad < "19960805" and (message adj queue) same priority and position	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 17:01
-	59	@ad < "19960805" and ((message adj queue)) same priority and position and insert	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 17:02
-	59	@ad < "19960805" and ((message adj queue)) same priority and position and insert and send and receive	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/17 12:56
-	78	@ad < "19960805" and ((message adj queue)) same priority and position and insert\$3 and send\$3 and receiv\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 17:40
-	78	@ad < "19960805" and ((message adj queue)) same priority and position and insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 17:54
-	15	@ad < "19960805" and (establish\$3 near (message adj queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 18:08
-	21	@ad < "19960805" and (insert\$3 near (message adj queue)) and (priority)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/16 18:08
-	0	@ad < "19960805" and ((message adj queue)) same priority and (rotation adj position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/17 12:57
-	8	@ad < "19960805" and ((message adj queue)) same priority same (position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/17 12:59
-	388	@ad < "19960805" and (send\$3 adj message) same priority	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:31

*Updated Search*

-	0	@ad < "19960805" and (send\$3 adj message) same hav\$3 adj priority	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/17 13:04
-	0	@ad < "19960805" and (send\$3 adj message) same "with" adj priority	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/17 13:04
-	11	@ad < "19960805" and (send\$3 adj message) same priority same (message adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/17 13:12
-	68	@ad < "19960805" and (send\$3 adj message) same priority and (message adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/17 13:13
-	3	@ad < "19960805" and (send\$3 adj message) same priority and (rotation adj position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:33
-	0	@ad < "19960805" and (message) same priority and (determin\$3 same (rotation adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:35
-	18	@ad < "19960805" and (message) and (determin\$3 same (rotation adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:42
-	0	@ad < "19960805" and (message) and (determin\$3 adj (rotation adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:38
-	0	@ad < "19960805" and (message same priority) and client and server and (determin\$3 and (rotation adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:53
-	0	@ad < "19960805" and (message and priority) and client and server and (determin\$3 and (rotation adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:54
-	1	@ad < "19960805" and client and server and (determin\$3 and (rotation adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:54
-	0	@ad < "19960805" and client and server and ((send\$3 or transfer\$4) adj message) and (rotation adj position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 18:56
-	16	@ad < "19960805" and client and server and ((send\$3 or transfer\$4) adj message) and priority and (rotation and position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 19:00
-	3	@ad < "19960805" and ((send\$3 or transfer\$4) adj message) and (message same priority) and (rotation adj position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 19:17
-	4	@ad < "19960805" and ((send\$3 or transfer\$4) adj message) and (message same priority) and (rotation near position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 19:18
-	111	@ad < "19960805" and ((send\$3 or transfer\$4) adj message) and (message same priority) and (rotation same position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 19:19
-	77	@ad < "19960805" and ((send\$3 or transfer\$4) adj message) and (message same priority) and (determin\$3 same rotation same position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 19:22

-	25	@ad < "19960805" and ((send\$3 or transfer\$4) adj message) and (message near priority) and (determin\$3 same rotation same position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 14:34
-	2	6073177.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/10 21:17
-	25	@ad < "19960805" and (insert\$3 or dispatch\$3) same (message adj queue) same priority	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:10
-	3	@ad < "19960805" and (insert\$3 or dispatch\$3 or post\$3) same (message adj queue) same priority and rotation	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:11
-	2	@ad < "19960805" and (insert\$3 or dispatch\$3 or post\$3) same (message adj queue) same priority and (round near robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:13
-	22	@ad < "19960805" and (insert\$3 or dispatch\$3 or post\$3) same (message same queue) same priority and (rotation or (round near robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 16:58
-	4	@ad < "19960805" and (message same queue) same priority same (rotation or (round near robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:27
-	4	@ad < "19960805" and (message same queue) same priority same (rotation or (round near robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:35
-	3	@ad < "19960805" and server same (insert\$3 or dispatch\$3 or put\$4 or post\$3) same (message same queue) same priority and (rotation or (round near robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:36
-	27	@ad < "19960805" and (insert\$3 or dispatch\$3 or put\$4 or post\$3) same (message same queue) same priority and (rotation or (round near robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:41
-	9	@ad < "19960805" and (insert\$3 or dispatch\$3 or put\$4 or post\$3) same (message adj queue) same priority and (rotation or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:47
-	43	@ad < "19960805" and (insert\$3 or dispatch\$3 or put\$4 or post\$3 or determin\$3) same (message same queue) same priority and (rotation or (round adj robin) or (rotation adj order))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:49
-	15	@ad < "19960805" and (insert\$3 or dispatch\$3 or put\$4 or post\$3 or determin\$3) same (message near queue) same priority and (rotation or (round adj robin) or (rotation adj order))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 15:53
-	2	@ad < "19960805" and determin\$3 same priority same (rotation or (round adj robin) or (rotation adj order)) and (insert\$3 or put\$4 or post\$3 or transmit\$4 or send\$3) same (message adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 16:01
-	57	@ad < "19960805" and determin\$3 same priority same (rotation or (round adj robin) or order) and (insert\$3 or put\$4 or post\$3 or transmit\$4 or send\$3) same (message adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 16:04
-	34	@ad < "19960805" and determin\$3 same priority same (rotation or (round adj robin) or order) and (insert\$3 or put\$4 or post\$3 or transmit\$4 or send\$3) with (message adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 16:40

-	33	@ad < "19960805" and ((enqueue\$3 or insert\$3) with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 18:37
-	5	@ad < "19960805" and ((enqueue\$3 or insert\$3) with message with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 18:37
-	5	@ad < "19960805" and server same ((enqueue\$3 or insert\$3) with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 18:40
-	3	@ad < "19960805" and ((enqueue\$3 or insert\$3 or put\$4 or transmit\$4) with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin)) and starv\$5 and server and client	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 18:43
-	14	@ad < "19960805" and ((enqueue\$3 or insert\$3 or put\$4 or transmit\$4) with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin)) and starv\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 18:47
-	43	@ad < "19960805" and ((enqueue\$3 or insert\$3 or put\$4) with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 18:49
-	33	@ad < "19960805" and ((enqueue\$3 or insert\$3) with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/30 18:49
-	3	@ad < "19960805" and ((enqueue\$3 or insert\$3) with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin)) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:27
-	6	@ad < "19960805" and ((enqueue\$3 or insert\$3) same ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin)) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:37
-	6	@ad < "19960805" and ((enqueue\$3 or insert\$3) same ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) same (priority or rotation or position or order or (round adj robin)) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:37
-	6	@ad < "19960805" and ((enqueue\$3 or insert\$3) same ((message or priority) adj queue) same priority) and (determin\$3 or read\$3) same (priority or rotation or position or order or (round adj robin)) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:37
-	59	@ad < "19960805" and ((enqueue\$3 or insert\$3) same ((message or priority) adj queue) same priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:38

-	51	@ad < "19960805" and ((enqueue\$3 or insert\$3) same ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:38
-	33	@ad < "19960805" and ((enqueue\$3 or insert\$3) with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) with (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:48
-	7	@ad < "19960805" and ((enqueue\$3 or insert\$3) with message with ((message or priority) adj queue) with priority) and (determin\$3 or read\$3) same (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:50
-	9	@ad < "19960805" and ((enqueue\$3 or insert\$3) with message with ((message or priority) adj queue) with priority) and (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:50
-	16	@ad < "19960805" and ((enqueue\$3 or insert\$3) with message with ((message or priority) adj queue)) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 14:51
-	70	@ad < "19960805" and ((enqueue\$3 or insert\$3) same ((message or priority) adj queue) same priority) and (determin\$3 or read\$3) same (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 15:06
-	54	@ad < "19960805" and ((enqueue\$3 or insert\$3) same ((message or priority) adj queue) with priority) and (determin\$3) same (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 15:07
-	13	@ad < "19960805" and ((enqueue\$3 or insert\$3) same message same ((message or priority) adj queue) with priority) and (determin\$3) same (priority or rotation or position or order or (round adj robin))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 15:08
-	26	@ad < "19960805" and ((enqueue\$3 or insert\$3) same message same ((message or priority) adj queue) same priority)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 15:30
-	61	@ad < "19960805" and ((enqueue\$3 or insert\$3) same message same queue same priority)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 15:31
-	8	@ad < "19960805" and ((enqueue\$3 or insert\$3) same message same queue same priority) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/31 16:31